


HORSE FENCE GUIDE

For over 125 years, we've manufactured the highest quality fence available. American-made Red Brand® fence provides years of safety for your horse with minimal maintenance. That's why horse owners who understand quality trust Red Brand.







| | | So Co | | | | | | | | |
|--------------------|------------|---------|----|-------|-----|------|-----|-----------------|------|----------|
| Style # | Resource # | / 60 05 | /5 | ~ ~ ~ | / 🗸 | / 80 | 4 | / ⁴⁰ | / & | / & |
| 1036-2-121/2 | 70301 | CLASS 1 | • | 12½ | 10 | 10 | 2x4 | 36" | 100' | 94 lbs. |
| 1348-2-121/2 | 70310 | CLASS 1 | • | 12½ | 10 | 10 | 2x4 | 48" | 100' | 124 lbs. |
| 1660-2-121/2 | 70314 | CLASS 1 | • | 121/2 | 10 | 10 | 2x4 | 60" | 100' | 152 lbs. |
| 1972-2-12½ | 70318 | CLASS 1 | • | 12½ | 10 | 10 | 2x4 | 72" | 100' | 178 lbs. |
| 1348-2-12½ | 70312 | CLASS 1 | • | 12½ | 10 | 10 | 2x4 | 48" | 200' | 245 lbs. |
| 1660-2-12½ | 70316 | CLASS 1 | • | 12½ | 10 | 10 | 2x4 | 60" | 200' | 301 lbs. |
| 1348-2-12½ | 70370 | CLASS 3 | • | 121/2 | 10 | 10 | 2x4 | 48" | 100' | 119 lbs. |
| 1660-2-12½ | 70374 | CLASS 3 | • | 12½ | 10 | 10 | 2x4 | 60" | 100' | 145 lbs. |
| 1348-2-12½ | 70342 | CLASS 3 | • | 121/2 | 10 | 10 | 2x4 | 48" | 200' | 237 lbs. |
| 1660-2-121/2 | 70346 | CLASS 3 | • | 121/2 | 10 | 10 | 2x4 | 60" | 200' | 293 lbs. |
| 1348-2-12½ (Black) | 70386 | CLASS 1 | • | 121/2 | 10 | 10 | 2x4 | 48" | 100' | 121 lbs. |
| 1660-2-12½ (Black) | 70330 | CLASS 1 | • | 121/2 | 10 | 10 | 2x4 | 60" | 100' | 152 lbs. |
| 1972-2-12½ (Black) | 70340 | CLASS 1 | • | 12½ | 10 | 10 | 2x4 | 72" | 100' | 178 lbs. |



NON-CLIMB

Non-Climb Horse Fence stands up to the challenge of providing a long-lasting enclosure to keep

horses safe and healthy.

Strong, 2" x 4" steel mesh prevents frightened or fighting

horses from stepping through,

walking down, or getting over the fence. Plus, it flexes on impact, preventing injury

to horse or fence.


Non-Climb Horse fence is
woven, not welded, so it resists
being broken or chewed. When
properly installed with smooth

side inward, Square Deal® knots won't cut or damage horse hides.

Flexibly constructed fence follows the contour of hills or uneven terrain. Once properly stretched, it won't sag or buckle, providing superior strength.

Square Deal Non-Climb Fence is built for years of service with 12-½ gauge, galvanized steel line wires, and 10 gauge top and bottom wires that withstand weathering and everyday wear and tear.
For even greater life expectancy, Non-Climb Horse Fence is available in Class 3 galvanized wire.





| Style # | Resource # | | | | | | | / *\doi: \doi: \do |
|------------|------------|---------|----|-------|----|------|----------|--|
| 50" Height | 77855 | CLASS 1 | 13 | 121/2 | 14 | 165' | 256 lbs. | ĺ |
| 58" Height | 77856 | CLASS 1 | 15 | 121/2 | 14 | 165' | 301 lbs. | |
| 50" Height | 76175 | CLASS 3 | 13 | 12½ | 14 | 165' | 256 lbs. | |
| 58" Height | 76180 | CLASS 3 | 15 | 121/2 | 14 | 165' | 301 lbs. | |



KEEPSAFE® V-MESH

Keepsafe® V-Mesh Horse Fence has closely spaced, 2" x 4" v-mesh construction to give it linear strength and springy texture, protecting horses from injury.

The durable and protective v-mesh weave features heavy, twisted horizontal cables, each

consisting of two wires on 4" spacing from ground to top. Vertical wires, securely wrapped around each horizontal cable run diagonally to make a v-mesh pattern, forming the strongest fence construction available today. Keepsafe® is built to last with galvanized wire to avoid corrosion. Our Class 3 wire will further increase the fence life expectancy.

The springy texture of the fence allows horses to brush

and bump against the surface harmlessly, without damage to delicate coats. The close spacing prevents hooves and legs from catching in the fence and keeps predatory animals from penetrating paddocks and pastures.



DESIGN YOUR FENCE TO MEET THE NEEDS OF YOUR HORSES.

"Design your fence to contain your most difficult animal, whether it is a pony who could get under a fence or a tall jumper who thinks nothing of a five-foot leap to freedom. A horse is more likely than other animals to be injured on a fence because a horse's flight instinct often outweighs his common sense about confinement."

-Michael Plumb's Horse Journal, Nov. 1996.

FOOL-PROOF FENCING

A good fence has no place where a horse can get a foot or head caught. The bottom of the fence should be at least 1" to 6" from the ground, depending on predator concerns. A good foal fence also has no spaces large enough that a foal can put his head through.

HOW HIGH IS HIGH ENOUGH?

Generally, a 4' 6" high fence will discourage horses from jumping over it. If you have side-by-side paddocks, the facing fences should be 5' to 6' in height to discourage horses from reaching over the fences. Ideally, you would fence with alleys separating the horses, which minimizes injuries from horses fighting over fences and cuts down on fence maintenance.

We recommend stallion fencing no shorter than 5' to 6' high. Never pasture stallions in paddocks that share a fence line.

Pastures for mares and foals should be 4' or 5' in height with a 60" top wire, keeping fence close to the ground so foals are unable to roll under the fence.

Stallion pens, breaking pens, and cool-down pens take a lot of abuse. These types of enclosures should be 5' or 6' in height to provide extra strength and security.

FENCE PLANNING

How much fence do you need?
Use the Acreage Guide and Acreage
Table to estimate the amount of
material required for your project.
Remember, the amount of fence
needed increases as the area gets
narrower and longer.

Red Brand's exclusive Fence Calculator can help, too. Plan fence lines with satellite mapping, select fence styles and create an estimated budget at redbrand.com/fencecalculator.

ACREAGE GUIDE

10 ACRES

| | ¼ mile o | r 1320 ft. | | | |
|--|-------------------|--|--|--|--|
| ½ mile or 1320 ft. | Require or 528 | CRES ss 1 mile 0 ft. of enclose | | | |
| ¼ mile or 1320 ft. ਦੂ 9 20 ACRES | | | | | |
| 660 | ft. square | ± 660 ft. | | | |

330 ft. 330 ft.

ACREAGE TABLE

| Acr | es | Fence 330 ft. Rolls | Fence 100 Ft. Rolls | |
|-----|----|---------------------------|---------------------------|---|
| 1 | | 3 | 9 | THE PERSON NAMED IN |
| 2 | | 4 | 12 | 100 AUG |
| 3 | | 5 | 15 | |
| 4 | | 5 | 17 | |
| 5 | | 6 | 19 | |
| 10 |) | 8 | 26 | |
| 1! | 5 | 10 | 33 | |
| 20 | | 12 | 38 | |
| 40 | | 16 | 53 | S 100 Year |
| 60 | | 20 | 65 | |
| 80 |) | 23 | 75 | N. S. |
| 10 | 0 | 26 | 84 | |
| 15 | 0 | 31 | 103 | |
| 20 | 0 | 36 | 118 | 2388 |
| 25 | 0 | 40 | 132 | The second |
| 30 | 0 | 44 | 145 | A 15 18 18 18 18 18 18 18 18 18 18 18 18 18 |
| 35 | 0 | 48 | 157 | STATISTICS. |
| 40 | 0 | 51 | 167 | No. of Section |

EXTENDED LIFE

Building on our tradition, Red Brand Extended Life fence products offer a wide range of animal confinement options. Strong Class 3 wire with heavy zinc coating increases the long life and durability that Red Brand is already known for.

FENCE WITH CLASS

All Red Brand fence is galvanized, meaning the steel has been immersed in molten zinc and covered with a rust- resistant zinc alloy. Red Brand fence uses three classes of zinc coating: Class 3, Class 1, and Regular. Each class is associated with a minimum coating weight per square foot of wire.





Keystone Steel & Wire Co., Peoria, IL 61641 • 800.447.6444 • redbrand.com







